JCDB-200

Single-lane Premade Doypack Pouch Packing Machine

QUICK DESCRIPTION

Entry-level pre-made pouch packing machine. Only set up a single packing channel. Very cheap price, suitable for start-ups, laboratories or individual users.



TECHNICAL PARAMETER

Model	JCDB-200	JCDB-300	JCDB-430
Speed	0-26 Bags/Min	0-15 Bags/Min	0-15 Bags/Min
Bag Size	70mm≤Width≤150mm	80mm≤Width≤300mm	80mm≤Width≤300mm
Power Supply	100mm≤Length≤200mm 220v, 50Hz/60Hz,Single Phase, 1kw	100mm≤Length≤300mm 220v, 50Hz/60Hz,Single Phase, 1.2kw	100mm≤Length≤430mm 220v, 50Hz/60Hz,Single Phase, 1.2kw
	0.2m³/min,0.65Mpa L:1080*W:535*H:1010mm	0.3m³/min,0.65Mpa L:1770*W:600*H:1230mm	0.3m³/min,0.65Mpa L:1770*W:600*H:1260mm

Optional machine



Multi-head Weigher

Suitable for automatic measuring of granular&flakes&strip product like puffed food, potato chips, candy, biscuit, dried fruit,peanut, melon seeds,roasted nuts,dumplings, hardware parts, plastic parts



Volumetric cup feeder

Suitable for automatic measuring of small granular materials and powder materials with well fluidity, such as granulated sugar, salt, seeds, seasoning and so on.



Auger filler

Suitable for measuring the powder materials, such as milk powder, flour powder, protein powder and chemical powder.



Z shape Bucket elevator

Applicable to the vertical lifting of granular materials, suitable for food, feed and chemical industries, with the advantages of less land area, large amount of lifting and high degree of lifting.

Optional machine



Screw conveyor

Suitable for lifting powder materials, such as milk powder, flour powder, rice powder, starch, milk tea powder, protein powder and seasoning powder.



Linear Weigher

It is suitable for packaging various powders and small particles with good flow or poor flowability and uniform density.



Quantitative filler

Suitable for low viscosity fluid, paste and liquid filling. Such as laundry detergent, ketchup, cream, toothpaste, honey, oil and other products.



Rotor Pump Filling Machine

Suitable for fluids or pastes with poor fluidity or solid particles. Such as meat sauce, chili sauce, jam and other products.

Optional machine



Vibrating bowl feeder

Vibrating bowls are usually used in disorganized hard products, such as fasteners, auto parts, plastic parts, medical accessories, etc.



Inclined belt conveyor

Suitable for materials which need mesh belt lifting, such as frozen food, preserved food, fruit and vegetables.